EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(("2003059172") or ("2002025125")).PN.	US-PGPUB	OR	OFF	2007/08/05 11:12
S2	2	(("20030059172") or ("20020025125")).PN.	US-PGPUB	OR	OFF	2007/08/05 11:12
S3	9573	(optic$4 near4 (fib$3 waveguid$3 conduct$4)) near12 (PCB board (circuit near3 substrate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 12:41
S4	968	S3 same (cover cap protect$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 12:42
S5	50	S3 same (cover cap protect$4 top) same (cavity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 12:42
S6	35	S5 and (@ad<"20030428" @rlad<"20030428")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 22:50
S7	4461	385/88,89,92,94.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 13:05
S8	2094	S7 and (cover cap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 13:05
S9	740	S7 and ((cover cap) same (cavity hole recess))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 13:05

EAST Search History

S10	472	S7 and ((cover cap) near12 (cavity hole recess))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 13:06
S11	347	S10 and ((fib$3 waveguid$3 conduct$4) near12 (cavity hole recess))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 13:06
S12	313	S10 and ((fib$3 waveguid$3 conduct$4) near7 (cavity hole recess))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 13:06
S13	418	S7 and ((cover cap) near7 (cavity hole recess))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 13:06
S14	277	S13 and ((fib$3 waveguid$3 conduct$4) near7 (cavity hole recess))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 13:06
S15	218	S14 and (@ad<"20030428" @rlad<"20030428")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 13:07
S16	65	S15 and ((fib$3 waveguid$4) near12 (PCB board))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 13:07
S17	850	((fib$3 waveguid$4 conduct$4) near3 optic$4) near7 (embed$4) near7 (PCB board substrate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 13:18

EAST Search History

S18	6	S17 same ((cavity recess) near9 cover$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 13:18
S19	6	("5446814" | "5644667" | "5764832" | "6330377" | "6389202" | "6907173").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/05 13:20
S20	8480	(substrate board PCB) same ((fib$3 waveguide) near9 (embed$4 expos$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 22:49
S21	3604	(cover$3 plug cap) near9 ((fib$3 waveguide) near9 (embed$4 expos$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 22:50
S22	544	S20 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 22:50
S23	84	S22 and (protect$4 near9 (cover cap plug))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 22:50
S24	111	S22 and ((protect$4 seal$4) near9 (cover cap plug))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 22:50
S25	86	S24 and (@ad<"20030428" @rlad<"20030428")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 22:50